

# INDEX MAPS.

**T. 6 N. R. 7 E. 2<sup>nd</sup> Mer.**

	7 <sub>8</sub>		7 <sub>8</sub>		7 <sub>8</sub>		7 <sub>8</sub>		7 <sub>9</sub>		6 <sub>9</sub>	
11	6	31	5	26	4	22	3	19	2	15	1	6
	31		31		26		22		18		15	
16	7	30	8	25	9	22	10	18	11	14	12	5
	30		30		25		21		18		14	
10	18	27	17	25	16	21	15	17	14	13	13	5
	27		27		25		21		17		13	
10	19	28	20	24	21	20	22	17	23	13	24	5
	28		28		24		20		16		12	
10	30	27	29	24	28	20	27	16	26	12	25	4
	27		27		23		19		16		12	
9	31	26	32	23	33	19	34	15	35	11	36	4
	2		1		1		1		1		1	
			2		3		3		3		3	

**T. 7 N. R. 7 E. 2<sup>nd</sup> Mer.**

	38	38	38	38	38	39	39					
	40	40	40	40	40	39	39					
42	6	63	5	59	4	56	3	54	2	53	1	37
	63	63	58	58	56	54	54	52				
42	7	62	8	58	9	56	10	54	11	52	12	37
	62	62	58	58	55	55	53	45	45	45		
41	18	61	17	57	16	55	15	53	14	44	13	36
	61	61	57	57	55	48	47	47	44	44		
41	19	60	20	57	21	49	22	47	23	44	24	36
	60	60	57	50	50	49	46	46	43	43		
41	30	59	29	50	28	45	27	46	26	43	25	36
	59	52	51	50	48	48	46	46	43	43		
40	31	51	32	49	33	48	34	45	35	42	36	36
	34	33	33	33	33	33	33	33	33	33	33	33
	34	34	34	34	35	35	35	35	35	35	35	35

The figures on the lines refer to the page.

1  
Township N. 6 North, Range N. 7 East 2. Mer. Ind.

### South Boundary

West On Rand<sup>m</sup> S. boundary of Sec. 36

25.00 a Brook 2 1/2 hrs. wide Course N.

40.00 Set temp<sup>y</sup>. gr. Sec. post

61.50 a Brook 4 hrs. wide Course N.

80.00 Set temp<sup>y</sup>. Cor. to Sec. 35 & 36

Land level, timber Beech, Poplar & Ash

---

West On Rand<sup>m</sup> S. boundary of Sec. 35

27.00 a Brook 2 1/2 hrs. wide Course S. W.

38.00 a Do 6 " " " S. W.

40.00 Set temp<sup>y</sup>. gr. Sec. post

50.00 a Brook 20 hrs. wide Course S. W.

58.00 a Do. 20 " " " S. W.

65.50 a Do 3 " " " S.

80.00 Set temp<sup>y</sup>. Cor. to Sec. 34 & 35

Uneven land, timber, Beech, Ash, Poplar &c

---

West On Rand<sup>m</sup> S. boundary of Sec 34

30.00 a Brook 6 hrs. wide Course N.

35.00 a River 200 hrs. wide Course S. W.

40.00 Set temp<sup>y</sup>. gr. Sec. post

80.00 Set temp<sup>y</sup>. Cor. to Sec. 33 & 34

Level wet land, timber Beech, Elm &c

---

West On Rand<sup>m</sup> S. boundary of Sec. 33

40.00 Set temp<sup>y</sup>. gr. Sec. post

51.00 a Brook 20 hrs. wide Course S. W.

80.00 Set temp<sup>y</sup>. Cor. to Sec. 32 & 33

Over wet land, timber Beech, Elm, Maple &c.

---

West On S. boundary of Sec. 32

12.00 a Creek 50 hrs. wide Course

2

S. 6 St. R. 7 E. 2<sup>nd</sup> Mer. Indiana

Ch. lks.

18.00 a Creek 50 lks. wide Course N.W.

23.00 Do " " " " S.W.

40.00 Set temp. q. Sec. post

80.00 Set temp. Cor. to Sect. 31 &amp; 32

Sand Wet, timber Beech, Elm &amp;c.

West On Rand. S. boundary of Sec. 31

20.00 a Brook 3 lks. wide Course S.W.

40.00 Set temp. q. Sec. post

42.00 a Brook 3 lks. wide Course S.W.

80.00 Intersected Annie's Range line 815 lks. S.

of the Corner made by Annie, for the Cor.

of Townships 5 &amp; 6 St. Range 6 &amp; 7 East

Set post (8.00 lks. South of Annie's Corner)

for Cor. to Township 5 &amp; 6 St. R. 6 &amp; 7 E. from which

a Beech 36 in. dia. bran N 22° W 10 lks. dist. by

a do. 18 " " " S 31° E 42 " "

September 30<sup>th</sup> 1806. variation 5.50. E

East On true line S. boundary of Sec 31

40.00 Set q. Sec. post, from which

a Beech 15 in. dia. bran N 8° W 14 lks. dist. by

a do. 30 " " " S 8° E 21 " "

80.00 Set post Cor. to Sect. 31 &amp; 32, from which

a Beech 24 in. dia. bran N 6° W 13 lks. dist. by

a do. 18 " " " S 24° W 26 " "

East On true line S. boundary of Sec. 32

40.00 Set q. Sec. post, from which

a Beech 16 in. dia. bran N 55° E 4 lks. dist. by

a do. 16 " " " S 43° W 29 " "

80.00 Set post Cor. to Sect. 32 &amp; 33, from which

a Beech 18 in. dia. bran N 42° W 15 lks. dist. by



# 3

## T6N R7E, 2<sup>nd</sup> Mer. Indiana

ch<sup>th</sup> a Beech 8 in. dia. - bear N 87° 20' W 20 lns. dist.

East On true line S. boundary of Sec 33

40.00 Let gr. Sec. post, from which  
a Elm 30 in. dia. - bear West 24 lns. dist. of  
a Beech 6 " " " N 72° E 24 " "

80.00 Let post Cor. to Sec. 33 of 34, from which  
a Beech 3 in. dia. - bear N 38° W 23 lns. dist. of  
a W. Oak 30 " " " N 68° E 40 " "

East On true line S. boundary of Sec. 34

40.00 Let gr. Sec. post, from which  
an Elm 48 in. dia. - bear East 3 lns. dist. of  
a Do. 30 " " " N 47° W 27 " "

80.00 Let post Cor. to Sec. 34 of 35, from which  
a Beech 9 in. dia. - bear S 44° E 31 lns. dist. of  
a Poplar 36 " " " N 67° W 40 " "

East On true line S. boundary of Sec. 35

40.00 Let gr. Sec. post, from which  
a Beech 12 in. dia. - bear N 76° W 31 lns. dist.  
a Do. 24 " " " S 64° E 39 " "

80.00 Let post Cor. to Sec. 35 of 36, from which  
a Beech 15 in. dia. - bear N 80° W 5 lns. dist. of  
a Do. 24 " " " S 58° E 25 " "

East On true line S. boundary of Sec 36

40.00 Let gr. Sec. post, from which  
a Beech 12 in. dia. - bear S 49° W 4 lns. dist. of  
a do. 12 " " " N 89° E 37 " "

80.00 to the Corner of township 5 of 6 North  
of Range 7 of 8 East 2<sup>nd</sup> Meridian  
Indiana

# West N 7 E. 2<sup>nd</sup> Mer. Ind.

ch. lth	East Boundary var. 5.50' 8
North	On E. boundary of Sec. 36
4.00	a Brook 3 lth. wide Course W.
7.96	a Beech 12 m. dist.
23.00	a Brook 3 lth. wide Course W.
40.00	Set of Sec. post, from which a Beech 12 m. dist. bear S 17 E 14 lth. dist. a dlo. 8 " " " N 48 W 30 " "
40.50	a Brook 3 lth. wide Course W
80.00	Set post Cor. to Sec. 25 & 36, from which a Beech 8 m. dist. bear N 15 W 18 lth. dist. of a dlo. 10 " " " S 35 E 25 " "
	First 1/2 mile level, Beech, Poplar, Oak &c. last 1/2 fallen timber - thickety.

North	On E. boundary of Sec. 25
7.84	a Poplar 60 m. dist.
11.00	a Brook 3 lth. wide Course E
18.00	a dlo. 20 " " " N. W.
21.00	a dlo. 20. " " " N. E.
25.00	looped the Brook
27.00	dlo. dlo.
35.00	a Brook 3 lth. wide Course E.
40.00	Set of Sec. post, from which an Ash - m. dist. bear S 37 E 18 lth. dist. of a Beech 16 " " " N 5 W 30 " "
50.73	a dlo 12 " "
65.00	a Brook 3 lth. wide Course E.
78.00	a dlo. 20 " " " N. W.
80.00	Set post Cor. to Sec. 24 & 25, from which a Beech 8 m. dist. bear N 44 W 10 lth. dist. of a dlo. 8 " " " S 33 W 30 " "
	Rich land, timber Beech, Anger, Oak &c

# 5

## S. N. R. & E. 2<sup>d</sup>. Mer. Indiana

ch. 2<sup>th</sup>  
 North On E. boundary of Sec. 24  
 11.27 an Elm 12 in. dia.  
 12.00 a large Cave Spring 100 lks. E. of the line  
 40.00 Set gr. Sec. post, from which  
     a Cherry - in dia. beam N 52 W 7 lks. dist. of  
     a Beech 16 " " " N 48 E 14 " "  
 45.00 a Creek 30 lks. wide Course N. E.  
 55.90 a Anger 12 in. dia.  
 57.00 a Creek 30 lks. wide Course N. W.  
 74.50 a do. 200 " " " N.  
 80.00 Set post Cor. to Sec. 13 & 24, from which  
     a Beech 16 in. dia. beam N 46 E 21 lks. dist.  
     a do. 16 " " " N 40 W 16 " "  
 Rich land, timber Beech, Anger, Ash &c.

North On E. boundary of Sec. 13  
 40.00 Set gr. Sec. post, from which  
     a Beech 12 in. dia. beam N 86 W 3 lks. dist. of  
     a do. 10 " " " N 86 E 14 " "  
 69.00 a Creek 50 lks. wide Course S. W.  
 80.00 Set post Cor. to Sec. 12 & 13, from which  
     a Beech 3 in. dia. beam N 44 W 30 lks. dist.  
     a do. 16 " " " N 61 E 25 " "  
 First 1/2 mile wet bottom Beech, Sycamore &c.  
 last 1/2 good land Beech, Oak, Ash &c.

October 1<sup>st</sup> 1806

North On E. boundary of Sec. 12  
 5.00 a Brook 20 lks. wide Course E.  
 14.40 a P. Oak 16 in. dia.  
 40.00 Set gr. Sec. post, from which  
     a W. Oak 50 in. dia. beam N 62 E 36 lks. dist.  
     a Beech 16 " " " N 67 W 53 " "  
 46.00 a Brook 3 lks. wide Course S. E.



# S. N. R. & E. 2<sup>nd</sup> Mer. Indiana

ch. lth.

60.80 a Beech 14 mi. dist. from

80.00 Set post Cor. to Sec. 1 & 12, from which  
a R. Oak 36 mi. dist. from N 36 E 26 lth. dist. of  
a Beech 14 " " " N 27 E 27 "  
Hilly land, timber Beech, Oak, Ash, Dogwood.

North On E. boundary of Sec. 1.

21.00 a Brook 3 lth. wide Cr. S. N. W.

21.60 a Beech 24 mi. dist.

33.00 a Brook 4 lth. wide Course N. W.

40.00 Set q. Sec. post, from which  
a Gum 18 mi. dist. from N 82 W 25 lth. dist. of  
a Do. 16 " " " S 84 E 20 " "

51.80 a Beech 12 " "

67.50 a Brook 4 lth. wide Cr. S. N. W.

79.50 a Do 3 " " " N. W.

80.00 Set post Cor. to Township 6 & 7 North  
Range 7 & 8 East, from which  
a R. Oak 36 mi. dist. from N 53 E 31 lth. dist. of  
a W. Oak 30 " " " S 38 W 48 " "  
Uneven land timber Beech, Oak, Gum &c

## North Boundary

West On Rand. S. boundary of Sec. 36, T. 2 N. R. 7 E.

0.50 a Brook 3 lth. wide course N. W.

11.00 a Do. 3 " " " N.

20.00 a Creek 30 " " " S. W.

39.00 a Do. 30. " " " N. W.

40.00 Set temp. q. Sec. post

45.00 a Creek 30. lth. wide course S. W.

65.00 a Do. 30 " " " N. W.

80.00 Set temp. Cor. to Sec. 35 & 36

Generally good land timber Beech Oak &c. last half  
uneven Beech Land

# S. N. R. E. I. Mer. Indiana

Ch. lth

West On Prandom S. boundary of Sect. 35. T. 7 N. R. 7 E

27. 00 a Creek 10 lth. wide Course S. W.

40. 00 Set temp. q. Sec. post

49. 50 a Brook 2 lth. wide Course S.

80. 00 Set temp. Cor. to Sect. 34 & 35

Level Beech Land -

West On Prandom S. boundary of Sect. 34, T. 7 N. R. 7 E

5. 00 a Brook 5 lth. wide Course S.

40. 00 Set temp. q. Sec. post

80. 00 Set temp. Cor. to Sect. 33 & 34

Level land timber Beech Oak &c.

West On Prandom S. boundary of Sect. 33. T. 7 N. R. 7 E

14. 50 a Brook 3 lth. wide Course S.

40. 00 Set temp. q. Sec. post

43. 00 a Brook 3 lth. wide Course S.

50. 00 a No. 3 " " " S.

80. 00 Set temp. Cor. to Sect. 32 & 33

Level land timber Beech Oak &c.

West On Prandom S. boundary of Sect. 32. T. 7 N. R. 7 E

2. 00 a Brook 3 lth. wide Course S.

31. 00 a No 3 " " " S. W.

36. 00 a No 3 " " " S.

40. 00 Set temp. q. Sec. post.

49. 00 a Brook 3 lth. wide Course S.

73. 00 a No. 4 " " " S.

80. 00 Set temp. Cor. to Sect. 31 & 32

Land level timber Beech Poplar Oak. &c.

West On Prandom S. boundary of Sect. 31. T. 7 N. R. 7 E

10. 00 a Brook 3 lth. wide Course S. W.



# T6 N 127 E 2<sup>d</sup> Mer. Indiana

Ch. lth

20.00 a Brook 10 lth. wide course S.

40.00 Set temp. of. Sec. post

80.50 Intersected the Range line off 25 lth.  
South of the Cor. to Township 637 North,  
Range 667 East  
Land level, timber Beech &c.

October 2<sup>d</sup> 1876. Variation 5° 50' E.

East On true line S. boundary of Sec. 31, T<sup>6</sup>N. R<sup>7</sup>E

40.25 Set gr. Sec. post, from which  
a Beech 12 mi. dist. by S 30° 12' lth. dist. of  
a do. 7 " " " N 75° E 29 " "

80.50 Set post cor. to Sec. 31 & 32, T<sup>6</sup>N. R<sup>7</sup>E, from which  
a Beech 10 mi. dist. by S 36° 18' lth. dist. of  
a do. 16 " " " N 51° E 10 " "

East On true line South bound<sup>y</sup> of Sec. 32, T<sup>6</sup>N. R<sup>7</sup>E.

40.00 Set gr. Sec. post, from which  
a Sugar 12 mi. dist. by S 84° 18' lth. dist. of  
a Beech 18 " " " S 74° E 40 " "

80.00 Set post cor. to Sec. 32 & 33, T<sup>6</sup>N. R<sup>7</sup>E, from which  
a Beech — mi. dist. by S 40° 17' lth. dist. of  
a do 30 " " " N 99° 27 " "

East On true line S. boundary of Sec. 33, T<sup>6</sup>N. R<sup>7</sup>E

40.00 Set gr. Sec. post, from which  
a Beech 10 mi. dist. by N 68° 10' lth. dist. of  
a do. 9 " " " S 52° E 24 " "

80.00 Set post cor. to Sec. 33 & 34, T<sup>6</sup>N. R<sup>7</sup>E, from which  
a Beech 3 mi. dist. by N 14° 12' lth. dist. of  
a do. 10 " " " S 54° N 14 " "

East On true line S. boundary of Sec. 34, T<sup>6</sup>N. R<sup>7</sup>E.

# 9

## T6 N R7 E. 2<sup>d</sup> Mer. Indiana

ch. lhr.

- 40.00 Set of Sec. post, from which  
a Beech 10 in. diam. beam N 84 E 13 lhr. dist. of  
a do. 12 " " " N 78 W 32 " "
- 80.00 Set post Cor. to Sec. 34 of 35, T6 N, R7 E, from which  
a Poplar 36 in. diam. beam N 69 E 9 lhr. dist. of  
a Beech 12 " " " West 27 " "

East On true line S. boundary of Sec. 35, T6 N, R7 E

- 40.00 Set of Sec. post, from which  
a Beech 12 in. diam. beam S 33 W 21 lhr. dist. of  
a do. 18 " " " North 27 " "
- 80.00 Set post Cor. to Sec. 35 of 36, T6 N, R7 E, from which  
a Beech 12 in. diam. beam S 33 W 18 lhr. dist. of  
a do. 12 " " " N 40 E 16 " "

East On true line S. boundary of Sec. 36, T6 N, R7 E.

- 40.00 Set of Sec. post, from which  
a Beech 8 in. diam. beam S 44 E 14 lhr. dist. of  
a do. 16 " " " N 69 W 26 " "
- 80.00 to the Township Corner.

Surveyed in 1806 by

Alexander Holmes

Deputy Surveyor

West Boundary (survey)

North On E. boundary of Sec. 36, T6 N, R6 E

- 40.00 Set of Sec. post, from which  
a Poplar 8 in. diam. beam N 57 W 10 lhr. dist. of  
a do. 6 " " " S 31 E 11 " "
- 77.00 Brook 10 lhr. wide Corner N.W.
- 80.00 Set post cor. to Sec. 25 of 36, T6 N, R6 E, from which  
a Beech 10 in. diam. beam North 43 lhr. dist. of  
an Elm 48 " " " S 75 W 32 " "

T6 N. 1 E. 7 E. 9. Mer. Inda.  
 ch. 1/2 m. Good farming land, timber Beech

---

North On E. boundary of Sec. 25, T6 N. 1 E. 7 E.  
 40.00 Set of Sec. post, from which  
 a Beech 20 m. dia. bray N 31 W 7 lms. dist. of  
 a Sugar 8 " " " N 35 W 4 " "  
 80.00 Set post Cor. to Sec. 24, 25, T6 N. 1 E. 7 E. from which  
 a Beech 12 m. dia. bray N 19 W 10 lms. dist. of  
 a Do. 10 " " " N 78 E 24 " "  
 Sand timber &c. Same as on the last mile

---

North On E. boundary of Sec. 24, T6 N. 1 E. 7 E.  
 40.00 Set of Sec. post, from which  
 a Beech 10 m. dia. bray N 13 W 12 lms. dist. of  
 a Do. 8 " " " N 57 E 7 " "  
 44.50 a Brook 10 lms. wide Corner N E.  
 76.00 a Do. 12 " " " S. W.  
 80.00 Set post Cor. to Sec. 13 & 24, T6 N. 1 E. 7 E. from which  
 a Beech 15 m. dia. bray N 82 E 14 lms. dist. of  
 a Do. 8 " " " N 71 W 9 " "  
 Sand timber &c. Same as on the last mile

---

North On E. boundary of Sec. 13, T6 N. 1 E. 7 E.  
 40.00 Set of Sec. post, from which  
 a Beech 10 m. dia. bray N 79 E 6 lms. dist. of  
 a Do. 8 " " " N 32 E 21 " "  
 68.00 a Brook 12 lms. wide Corner W.  
 80.00 Set post Cor. to Sec. 12 & 13, T6 N. 1 E. 7 E. from which  
 a W. Ash 20 m. dia. bray N 40 W 4 lms. dist. of  
 a Beech 20 " " " N 42 E 10 " "  
 This Mile Over flat land timber Beech

---

North On E. boundary of Sec. 12, T6 N. 1 E. 7 E.



# T6 N R7 E, 2<sup>d</sup>. Mer. Indiana 11

ch. lth.

- 40.00 Set q. Sec. post, from which  
a Beech 10 mi. dia. beam N 76° W 2 lth. dist. of  
a Beech 10 " " " N 83° E 12 p " "  
54.00 a Brook 5 lth. wide Course N. E.  
80.00 Set post Cor. to Sec. 1 & 12, T6 N. R6 E, from which  
a Beech 20 mi. dia. beam N 85° W 23 lth. dist. of  
a Gum 15 " " " N 46° E 7 " "  
Sand timber etc. same as on the last mile

North On E. boundary of Sec. 1, T6 N. R6 E.

- 40.00 Set q. Sec. post, from which  
a Beech 10 mi. dia. beam N 25° E 6 lth. dist. of  
a Do. 12 " " " N 88° E 23 " "  
80.00 Set post Cor. to Townships 6 & 7 North,  
Range 6 & 7 East, from which  
a Beech 16 mi. dia. beam N 29° W 12 lth. dist. of  
a " " " " N 67° E 20 " "  
This mile Over good farming land  
timber Poplar, Beech & Oak  
Surveyed by Arthur H. H. S.

## Subdivision.

North Between Sec. 35 & 36, T6 N. R7 E

- 15.00 a Brook 15 lth. wide Course W.  
29.50 a Do 10 " " " W.  
32.10 a Beech 20 mi. dia.  
40.00 Set q. Sec. post, from which  
a Beech 10 mi. dia. beam N 42° W 10 lth. dist. of  
a Do. 12 " " " N 41° E 23 " "  
47.25 a Do. 20 " "  
63.80 a Beech 10 " "  
80.00 Set post Cor. to Sec. 25, 26, 35 & 36, from which  
a Sugar 10 mi. dia. beam N 89° W 7 lth. dist. of

## S. N. Rye T. Mer. Ind.

ch. thr.

a Beech 12 in. dia. bears S 50 E 24 lbs. dist.  
 Good farming land, Oak, Ash, Poplar &c

East On Rand<sup>m</sup>. between Sec. 25 & 36

1.00 a Creek 25 lbs. wide Crs. N.W.

35.50 a Brook 10 " " " N.

40.00 Set temp<sup>y</sup>. q. See. post

79.50 Intersected the E. boundary 10 lbs. South of post.  
 This mile over good farming land.

West Corrected between Sec. 25 & 36.

39.75 Set q. See. post, at average dist. from which  
 a Beech 10 in. dia. bears S 32 E 26 lbs. dist. &

a No. 8 " " " N 7 E 18 " "

79.50 to Section Corner.

North Between Sec. 25 & 26.

33.60 a Sugar 30 in. dia.

37.00 a Brook 20 lbs. wide Course N.W.

40.00 Set q. See. post, from which

a Beech 15 in. dia. bears S 13 W 25 lbs. dist. &

a No. 20 " " " N 47 W 12 " "

58.50 a Brook 10 lbs. wide Course West.

80.00 Set post cor. to Sec. 23, 24, 25 & 26, from which

a Beech 8 in. dia. bears S 63 E 9 lbs. dist. &

a No. 8 " " " N 40 W 5 " "

Beech Land - timber Sugar, Oak, Elm, Hickory,

East On Random between Sec. 24 & 25.

40.00 Set temp<sup>y</sup>. q. See. post

78.00 a Brook 15 lbs. wide Course North

79.20 Intersected the E. boundary 75 lbs. South of post  
 Good Land -

# 13

## H. N. E. I. Mer. Indiana

Ch. Lth

West Corrected between Sect. 24 & 25

39.60 Set of. Sec. post, at average dist. from which  
a Beech 10 in. dia. bears S 76 E 18 lbs. dist.  
and no other -

79.20 to Section Corner -

North Between Sect. 23 & 24

10.00 a Brook 25 lbs. wide Course S. W.

22.90 a Buckeye 20 in. dia.

25.50 a Brook 15 lbs. wide Course East

40.00 Set of. Sec. post, from which  
an Elm 20 in. dia. bears N 62 E 5 lbs. dist. &  
a Do. 8 " " " N 12 W 7 " "

41.85 a Beech 20 " "

80.00 Set post Cor. to Sect. 13, 14, 23 & 24, from which  
a Beech 20 in. dia. bears S 11 W 30 lbs. dist. &  
a Do. 20 " " " N 35 E 10 " "  
Land timber &c. Same as last. Mile.

East On Prandome between Sect. 13 & 24

35.00 a Brook 10 lbs. wide Course South

40.00 Set temp. of. Sec. post

79.20 Intersected the E. boundary 1.00 lbs. S. of post.  
Very rich level land - timber Sugar, Hackberry,  
Beech, Walnut &c.

West Corrected between Sect. 13 & 24

39.60 Set of. Sec. post, at average dist. from which  
a Hackberry 10 in. dia. bears N 24 E 13 lbs. dist. &  
a Buckeye 20 " " " S 35 W 17 " "

79.20 to Section Corner

North Between Sect. 13 & 14.



# Post R7E. 2<sup>nd</sup> Mer. Ind.<sup>a</sup>

Ch. lks

11.70 a W. Ash 20 in. dia.

40.00 Set q. Sec. post, from which

a Beech 15 in. dia. bears N 38 W 8 lks. dist. &

a W. Ash 20 " " " S 3 E 32 " "

52.50 a Beech 20 " "

80.00 Set post Cor. to Secs. 11, 12, 13 & 14, from which

a W. Ash 20 in. dia. bears S 30 E 32 lks. dist. &

a Oak 29 " " " N 60 W 33 " "

This mile Over rolling Land timber, Land Beech  
underbrush Beech -

East On Prandon between Secs. 12 & 13.

40.00 Set temp. q. Sec. post

80.50 Intersected the E. boundary 2.50 lks. S. of post

This mile Over very bushy Beech timber Land

West Corrected between Secs. 12 & 13.

40.20 Set q. Sec. post, at average dist. from which

a Beech 20 in. dia. bears S 87 W 16 lks. dist. &

a No. 8 " " " N 41 E 9 " "

80.50 to Section Corner

North Between Secs. 11 & 12.

2.55 a B. Oak 10 in. dia.

3.50 a Brook 10 lks. wide course N. 89 W.

14.50 a No. 6 " " " N. E.

36.50 a Beech 15 in. dia.

40.00 Set q. Sec. post, from which

a Beech 20 in. dia. bears N 45 W 9 lks. dist. &

a No. 20 " " " N 50 E 10 " "

62.05 a No. 20 " "

80.00 Set post Cor. to Secs. 1, 2, 11 & 12, from which

a Beech 20 in. dia. bears N 56 W 9 lks. dist.

*St R7 E. 2<sup>nd</sup> Mer. Indiana* <sup>15</sup>  
*chth*

---

a Poplar 15 in. dia. bears N 38 E 17 lks. dist. &  
Level Beech timber same.

---

East On Random between Secs. 1 & 12.

40.00 Set temp. q. Sec. post.

45.00 a Brook 10 lks. wide Course South

81.00 Intersected the E. boundary 3.50 lks. S. of post.  
Land the same as last Mile.

---

West Corrected between Secs. 1 & 12.

40.50 Set q. Sec. post, at average dist. from which  
a Beech 20 in. dia. bears S 6 E 23 lks. dist. &  
a No. 8 " " " N 18 W 14 " "

81.00 to Section Corner

---

North Between Secs. 1 & 2.

00.54 a Beech 20 in. dia.

37.00 a Brook 10 lks. wide Course East.

40.00 Set q. Sec. post, from which  
a Beech 8 in. dia. bears N 74 W 13 lks. dist. &  
a No. 10 " " " S 21 E 16 " "

89.60 Intersected the N. boundary 59 lks. W. of post.  
Set post. Cor. to Secs. 1 & 2, from which  
a Beech 8 in. dia. bears S 44 W 10 lks. dist. &  
a No. 8 " " " S 15 E 16 " "  
Land the same as last Mile. Oct. 20<sup>th</sup> 1806.

---

North Between Secs. 34 & 35

37.00 a Brook 15 lks wide course W.

40.00 Set q. Sec. post, from which  
a Beech 10 in. dia. bears S 7 E 23 lks. dist. &  
a No. 8 " " " N 29 W 27 " "

79.00 a creek 2.50 lks. wide Course W.

## S. N. R. E. I. Mer. Indiana

Ch. lks

80.00 Set post Cor. to Secs. 26, 27, 34 & 35, from which  
a Buckeye 10 in. dia. bears S. 88 E. 1.19 lks. dist.  
no other tree near  
This mile Over level Beech timber Land.

East On Prandom between Secs. 25 & 35.

40.00 Set temp. q. Sec. post

81.00 Intersected the N. & S. line 20 lks. N. of post.  
Land timber Same as last mile

West Corrected between Secs. 26 & 35.

40.50 Set q. Sec. post, at average dist. from which  
a Beech 15 in. dia. bears N 35 W 15 lks. dist. &  
a Do. 30 " " " S 61 E 24 " "

81.00 to Section Corner

North Between Secs. 26 & 27.

40.00 Set q. Sec. post, from which  
a Beech 10 in. dia. bears S 80 W 15 lks. dist. &  
a Do. 8 " " " N 17 W 10 " "

80.00 Set post. Cor. to Secs. 22, 23, 26 & 27, from which  
a Beech 10 in. dia. bears N 60 W 9 lks. dist. &  
a Hickory 12 " " " N 3 E 18 " "  
Land timber &c. Same as last mile -

East On Prandom between Secs. 23 & 26.

40.00 Set temp. q. Sec. post.

78.50 a Brook 2.50 lks. wide course S. W.

80.48 Intersected the N. & S. line 25 lks. S. of post.  
Land the Same. Oct. 21<sup>st</sup> 1806.

West Corrected between Secs. 23 & 26.

40.44 Set q. Sec. post, at average dist. from which



# Lot R7 E. 2<sup>nd</sup> Mer. Ind. 17

ch. lth.

a Beech 20 in. dia. bears N 74 E 8.12 lth. dist. 8

a No. 10 " " " N 71 W 16.12 " "

80.88 to Section Corner

---

North Between Sec. 22 & 23.

12.80 a Poplar 48 in. dia.

40.00 Set q. Sec. post, from which

a W. Ash 10 in. dia. bears N 1 W 26 lth. dist. 4

a Ironwood 5 " " " S 34 W 28 " "

58.00 a Brook 20 lth. wide course S. W.

80.00 Set post, Cor. to Sec. 14, 15, 22, & 23, from which

a W. Oak 10 in. dia. bears N 89 E 17 lth. dist. 4

a W. Ash 6 " " " N 54 W 5 " "

Good Beech Land.

---

East On Prandon between Sec. 14 & 23.

26.00 a Brook 20 lth. wide Course S. W.

40.00 Set temp. q. Sec. post

80.84 Intersected the N & S. line 64 lth. S. of post.

Land &c. same as on the last mile

---

West Connected between Sec. 14 & 23

40.42 Set q. Sec. post at average dist. from which

a Beech 10 in. dia. bears N 12 E 23 lth. dist. 5

a Sassafras 6 " " " N 12 W 5 " "

80.84 to Sec. Corner

---

North Between Sec. 14 & 15

5.90 a Poplar 30 in. dia.

7.40 a Beech 24 " "

40.00 Set q. Sec. post, from which

a Beech 20 in. dia. bears N 34 E 8 lth. dist. 5

a No. 24 " " " N 7 E 31 " "

18

T. C. N. R. & E. 2<sup>d</sup> Mer. Indiana  
ch. 2. 1/4

80.00 Set post Cor. to Sec. 14, 15, 10 of 11, from which  
a Beech 10 m. dist. by N 7 E 19 lms. dist. of  
a dlo. 12 " " " N 16 W 8 " "  
This mile over rolling land, timber Beech  
underg<sup>th</sup> Beech & dogwood.

---

East On Rand<sup>m</sup>. between Sec. 11 & 14  
40.00 Set temp<sup>y</sup>. of Sec. post  
76.00 a Brook 10 lms. wide Course S. W.  
79.25 intersected the N of S. line at the post  
Over level, Beech, timbered land

---

West Connected between Sec. 11 & 14  
39.62 1/2 Set of Sec. post at average dist. from which  
a Beech 4 m. dist. by N 69 E 26 lms. dist. of  
a dlo. 10 " " " N 20 W 26 " "  
79.25 to Sec. Corner.

---

North Between Sec. 10 & 11  
40.00 Set of Sec. post, from which  
a Beech 15 m. dist. by N 1 W 37 lms. dist. of  
a dlo. 20 " " " N 75 E 29 " "  
63.30 a dlo 10 " "  
80.00 Set post Cor. to Sec. 2, 3, 10 of 11, from which  
a Beech 12 m. dist. by N 31 E 27 lms. dist. of  
a dlo. 10 " " " N 72 W 11 " "  
This mile over Beech, Oak & Hickory  
timbered land, underg<sup>th</sup> Beech & dogwood.

---

East On Rand<sup>m</sup>. between Sec. 2 & 11  
14.00 a Brook 25 lms. wide Course S. W.  
40.00 Set temp<sup>y</sup>. of Sec. post  
79.00 intersected the N of S. line 46 lms. S. of post

# T6N R7E. 1<sup>st</sup> Mer. Indiana<sup>19</sup>

ch. lth.

Land timber &c. Same as on the last mile

West Connected between Sec. 2 & 11

39.50 Set q. Sec. post at average dist. from which  
a Beech 15 in. dia. bears S 89° E 33 lth. dist. 5  
a Do. 20 " " " S 107° W 21 " "

79.00 to Sec. Corner.

North Between Sec. 2 & 3

3.00 a Creek 50 lth. wide Course W.

40.00 Set q. Sec. post, from which  
a Beech 10 in. dia. bears S 80° W 22 lth. dist. 5  
a Do. 15 " " " S 48° E 28 " "

75.00 a Hickory 24 " "

90.00 Intersected N. boundary 69 E. of post  
Set post Cor. to Sec. 2 & 3, from which  
a Beech 10 in. dia. bears N 81° E 21 lth. dist. 5  
a Do. 10 " " " N 75° W 15 " "  
Land &c. Same as last mile. Oct. 22. 1876

North Between Sec. 33 & 34

40.00 Set q. Sec. post, from which  
an Elm 20 in. dia. bears S 36° E 5 lth. dist. 4  
a Beech 20 " " " N 66° W 9 " "

77.65 a Poplar 15 " "

80.00 Set post Cor. to Sec. 27, 28, 33, & 34, from which  
a Beech 20 in. dia. bears S 15° W 14 lth. dist. 4  
a Do. 10 " " " N 15° E 9 " "  
This mile over flat Land timber Beech & Poplar.

East On Prandon between Sec. 27 & 34

40.00 Set temp. q. Sec. post

81.86 Intersected the N. & S. line 14 lth. N. of post  
Land &c. Same as on the last mile



# T6 N R7 E 2<sup>d</sup> Mer. Indiana

ch <sup>d</sup> . lks West	Corrected between Sec <sup>s</sup> . 27 & 34.
40.93	Set q <sup>r</sup> . Sec. post at average dist. from which a Beech 10 in. dia <sup>r</sup> . bears S 85 E 9 lks. dist. & a Do. 8 " " " N 35 W 14 " "
81.86	to Section Corner
North	Between Sec <sup>s</sup> . 27 & 28
10.00	a Brook 20 lks. wide Course S. W.
40.50	Set q <sup>r</sup> . Sec. post - from which a Beech 15 in. dia <sup>r</sup> . bears S 68 W 16 lks. dist. & a Do. 10 " " " N 64 E 8 " "
58.00	a Hickory 20 " "
65.15	a W. Oak 40 " "
80.00	Set post Cor. to Sec <sup>s</sup> . 21, 22, 27, & 28. from which a Beech 10 in. dia <sup>r</sup> . bears S 9 W 16 lks. dist. & a Ironwood 6 " " " N 76 E 9 " " Land the same as last Mile
East	On Prandon between Sec <sup>s</sup> . 22 & 27.
17.00	a Brook 20 lks. wide Course S. W.
31.50	a Do. 50 " " " S. W.
40.00	Set temp <sup>y</sup> . q <sup>r</sup> . Sec. post.
81.38	Intersected the N. & S. line 86 lks. N. of post. Land the same as on the last Mile.
West	Corrected between Sec <sup>s</sup> . 22 & 27
40.69	Set q <sup>r</sup> . Sec. post, at average dist. from which an Elm 20 in. dia <sup>r</sup> . bears N 47 E 60 lks. dist. & a Do. 10 " " " South 16 " "
81.38	to Section Corner
North	Between Sec <sup>s</sup> . 21 & 22.
8.40	a Beech 20 in. dia <sup>r</sup> .
40.00	Set q <sup>r</sup> . Sec. post, from which

# 21

## St R & E. 2<sup>d</sup> Mer. Indiana

ch. lks.  
 a Beech 20 in. dia. bears S 2 E 41 lks. dist. &  
 a No. 10 " " " S 89 W 8 " "  
 80.00 Set post Cor. to Secs. 15, 16, 21 & 22, from which  
 a Beech 15 in. dia. bears S 81 W 11 1/2 lks. dist. &  
 a Ironwood 6 " " " S 6 W 37 " "  
 This Will Over level Beech timber land—

East Between Secs. 22 & 15.

26.00 a Brook 5 lks. wide Course S. W.

36.00 a No. 50 " " " S. W.

81.31 Intersected the N. & S. line 12 lks. N. of post  
 Land rolling timber same—

West Corrected between Secs. 15 & 22.

40.65 1/2 Set q. Sec. post at average dist. from which  
 aycamore 15 in. dia. bears N 60 W 29 lks. dist. &  
 a No. 10 " " " N 41 E 24 " "

81.31 to Section Corner—

North Between Secs. 15. & 16.

31.50 a Brook 10 lks. wide Course S.E.

40.00 Set q. Sec. post, from which  
 a Beech 30 in. dia. bears S 9 W 32 lks. dist. &  
 a Poplar 6 " " " S 38 W 11 " "

42.55 a W. Ash 24 " "

80.00 Set post Cor. to Secs. 9, 10, 15, & 16, from which  
 a Beech 24 in. dia. bears S 16 E 29 lks. dist. &  
 a No. 10 " " " S 65 E 15 " "  
 Level Beech timber Land

East On Prandon between Secs. 10 & 15

25.90 a Brook 50 lks. wide Course S. W.

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line 10 lks. N. of. post

ch. P. lth	Land timber &c. Same as on the last mile
West	Corrected between Sec. 10 & 15.
40.00	Set q. Sec. post, at average dist. from which a Beech 8 in. dia. bears N 14 E 12 lks. dist. & a W. Ash 20 " " " South 18 " "
50.00	to Section Corner.
North	Between Sec. 9 & 10.
25.80	a Poplar 30 in. dia.
40.00	Set q. Sec. post, from which a Beech 20 in. dia. bears S 60 W 30 lks. dist. & a Sugar 10 " " " S 69 E 18 " "
80.00	Set post Cor. to Sec. 3, 4, 9, & 10. from which a Beech 10 in. dia. bears S 35 W 14 lks. dist. & a No. 8 " " " S 5 E 22. " " Land the Same
East	On Random between Sec. 3 & 10
20.00	a Brook 10 lks. wide course South
40.00	Set temp. q. Sec. post
52.00	a Brook 30 lks. wide course South
75.00	a No. 50 " " " S. W.
80.00	Intersected the N. & S. line 36 lks. N. of post Land the Same. October 23. 1806.
West	Corrected between Sec. 3 & 10
40.00	Set q. Sec. post, at average dist. from which a Beech 15 in. dia. bears N 8 E 30 lks. dist. & a No. 10 " " " S 8 W 13 " "
80.00	to Section Corner.
North	Between Sec. 3 & 4.
11.55	a Beech 30 in. dia.

# 23

## S. N. R. & E. 2<sup>nd</sup> Mer. Indiana

ch. P. lks.

- 40.00 Set q. Sec. post, from which  
 a Beech 10 in. dia. bears N 22 W 11 lks. dist. &  
 a W. Ash 15 " " " S 53 E 4 " "
- 80.45 a Beech 20 " "
- 88.72 Intersected the N. boundary 1.33 lks. East of post.  
 Set post Cor. to Sec. 3 & 4, from which  
 a Beech 10 in. dia. bears N 20 E 8 lks. dist. &  
 a No. 8 " " " S 7 W 23 " "  
 Land the same as on last mile

North Between Sec. 32 & 33.

- 4.45 a Beech 20 in. dia.
- 40.00 Set q. Sec. post, from which  
 a Beech 10 in. dia. bears N 35 W 11 lks. dist. &  
 a No. 8 " " " S 1 W 142 " "
- 80.00 Set post Cor. to Sec. 28, 29, 32, & 33, from which  
 a Beech 40 in. dia. bears N 37 E 7 lks. dist. &  
 a No. 24 " " " S 3 E 46 " "  
 Over level land - timber Beech undergrowth  
 Beech & Spicewood

East On Prandom between Sec. 28 & 33.

- 40.00 Set temp. q. Sec. post
- 73.50 a Creek 50 lks. wide course S. W.
- 80.00 Intersected the N. & S. line 6 lks. South of post.  
 Land timber &c. same as last mile

West Corrected between Sec. 28 & 33.

- 40.00 Set q. Sec. post, at average dist. from which  
 a Beech 20 in. dia. bears S 30 W 23 lks. dist. &  
 a No. 10 " " " N 81 E 18 " "
- 80.00 to Section Corner



24

# S 6 N 7 E. 2<sup>d</sup>. Mer. Indiana

Ch. 1<sup>st</sup> M<sup>ile</sup>

North Between Sec<sup>s</sup>. 28 & 29.

13. 50 a Poplar 40 in. dia.

40. 00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 20 in. dia. bears S 29 E 12 lbs. dist. 4  
a No. 20 " " " S 79 - 22 1/2 " "

79. 50 a Sweet Gum 20 " "

80. 00 Set post cor. to Sec<sup>s</sup>. 20, 21, 28 & 29, from which  
a Gum 24 in. dia. bears South 46 lbs. dist. 4  
a Hickory 8 " " " S 37 E 14 " "  
Land the same as on last mile

East On Pradom between Sec<sup>s</sup>. 21 & 28.

35. 50 a Brook 10 lbs. wide course South

40. 00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79. 80 Intersected the N. & S. line 47 lbs. S. of post.  
Land the same as last mile

West Corrected between Sec<sup>s</sup>. 21 & 28.

39. 90 Set q<sup>r</sup>. Sec. post, at average dist. from which  
a Beech 24 in. dia. bears N 49 E 12 lbs. dist. 4  
a Poplar 6 " " " S 18 W 10 " "

79. 80 to Section Corner

North Between Sec<sup>s</sup>. 20 & 21.

40. 00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 10 in. dia. bears S 8 W 10 lbs. dist. 4  
a No. 24 " " " S 83 W 24 " "

55. 40 a No. 20 " "

74. 50 a Poplar 30 " "

80. 00 Set post Cor. to Sec<sup>s</sup>. 16, 17 & 20 & 21, from which  
a Beech 20 in. dia. bears S 42 E 18 lbs. dist. 4  
a No. 10 " " " N 47 W 11 " "  
Land the same as on the last mile.

# West R & E. T<sup>n</sup>. Mer. Indiana

25

Ch. lks.

East On Random between Sec<sup>s</sup>. 16 & 21.

40.00 Set temp<sup>y</sup>. g<sup>i</sup>. Sec. post.

65.00 a Brook 10 lks. wide Course S. E.

79.58 Intersected the N. & S. line 84 lks. N. of post.  
Land timber &c. Same as on the last mile

West Corrected between Sec<sup>s</sup>. 16 & 21.

39.79 Set g<sup>i</sup>. Sec. post. at average dist. from which  
a Beech 20 in. dia. bears S 89 N 2 lks. dist. &  
a W. Ash 15 " " " N 89 E 20 " "

79.58 to Section Corner

North Between Sec<sup>s</sup>. 16 & 17.

40.00 Set g<sup>i</sup>. Sec. post, from which  
a Beech 12 in. dia. bears S 12 N 27 lks. dist. &  
a Bassafras 6 " " " N 80 N 8 " "

58.50 a Beech 20 " "

65.00 a Brook 15 lks. wide Course N.

80.00 Set post Corner. to Sec<sup>s</sup>. 8, 9, 16 & 17, from which  
a Beech 20 in. dia. bears S 46 E 12 lks. dist. &  
a W. 20 " " " N 46 N 19 " "  
Land the Same as last mile

East On Random between Sec<sup>s</sup>. 9 & 16.

40.00 Set temp<sup>y</sup>. g<sup>i</sup>. Sec. post

80.00 Intersected the N. & S. line 80 lks. North of post  
Land level and Bushy timber Beech

West Corrected between Sec<sup>s</sup>. 9 & 16.

40.00 Set g<sup>i</sup>. Sec. post. at average dist. from which  
an Elm 15 in. dia. bears S 18 E 4 lks. dist. &  
a Hornwood 6 " " " N 18 N 9 " "

80.00 to Section Corner

North Between Sec<sup>s</sup>. 8 & 9

22.50 a W. Ash 20 in. dia.

# L. N. R. & E. D. Mer. Indiana

ch. 11<sup>th</sup>

38.00 a Brook 10 lks. wide Course West.

40.00 Set q. Sec. post, from which  
a Beech 10 in. dia. bears S 25 E 17 lks. dist. &  
a S. Gum 20 " " " N 74 E 15 " "

73.40 a Beech 15 " "

80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
a Beech 10 in. dia. bears S 16 W 11 lks. dist. &  
a No. 12 " " " N 54 E 12 " "  
Land the Same

East On Prandom between Sec. 4 & 9.

40.00 Set temp. q. Sec. post.

80.25 Intersected the N. & S. line 60 lks. N. of post  
This mile Over level bushy land timber Beech, Oak,

West Corrected between Sec. 4 & 9.

40.12 $\frac{1}{2}$  Set q. Sec. post, at average dist. from which  
a Poplar 6 in. dia. bears N 20 W 19 lks. dist. &  
a Hickory 12 " " " S 68 E 18 " "

80.25 to Section Corner

North Between Sec. 4, & 5.

20.00 a Beech 20 in. dia.

40.00 Set q. Sec. post, from which  
a Beech 20 in. dia. bears S 46 E 12 lks. dist. &  
a No. 10 " " " S 76 W 18 " "

86.00 a Brook 15 lks. wide Course W.

88.34 Intersected the N. boundary 2.45 lks. E. of post  
Set post Cor. to Sec. 4 & 5, from which  
a Beech 20 in. dia. bears S 75 W 14 lks. dist. &  
a No. 8 " " " N 32 E 7 " "  
Land the Same as on the last mile

North Between Sec. 31 & 32

6.35 a Beech 20 in. dia.

23.35 a No. 20 " "

# T6 N R7 E, 2<sup>nd</sup> Mer. Indiana

27

ch. lth

- 40.00 Set qf. Sec. post, from which  
a Beech 20 in. dia. bears S 11 W 11 lbs. dist. 4  
a Poplar 40 " " " S 76 E 24 " "
- 80.00 Set post Cor. to Sect. 29, 30, 31 & 32, from which  
a Beech 24 in. dia. bears S 3 E 31 lbs. dist. 4  
a No. 50 " " " N 30 W 33 " "  
this mile Over level Beech timbered Land

East On Prandom between Sect. 29 & 32.

- 40.00 Set temp. qf. Sec. post  
80.00 Intersected the N. & S. line 95 lbs. N. of post  
Land the Same

West Corrected between Sect. 27 & 32

- 40.00 Set qf. Sec. post, at average dist. from which  
a Beech 24 in. dia. bears N 11 W 22 lbs. dist. 4  
a No. 10 " " " S 75 E 25 " "
- 80.00 to Section Corner

West Between Sect. 30 & 31.

- 25.00 a Brook 10 lbs. wide Course N.  
29.50 a No. 15 " " " South  
40.00 Set qf. Sec. post, from which  
a Beech 10 in. dia. bears N 13 W 7 lbs. dist. 4  
a No. 8 " " " S 83 E 12 " "
- 58.00 a Poplar 40 " "
- 83.88 Intersected the W. boundary 1.81 lbs. S. of post  
Set post. Cor. to Sect. 30 & 31, from which  
a Poplar 40 in. dia. bears N 64 W 12 lbs. dist. 4  
a Beech 15 " " " S 42 E 39 " "  
Flat Land

North Between Sect. 29 & 30

- 16.75 a Beech 20 in. dia.  
25.50 a No. 20 " "  
30.00 a Brook 20 lbs. wide Course W.



# Sec. 19 & 20, Mer. Indiana Ch. 11.

40.00 Set of Sec. post, from which  
a Beech 10 in. dia. bears S 44 E 10 lbs. dist. 4  
a No. 8 " " " S 83 W 11 " "

59.50 a No. 20 " "

60.10 a No. 20 " "

79.00 a Brook 25 lbs. wide Course S. W.

80.00 Set post Cor. to Sect. 19, 20, 29 & 30, from which  
a Beech 10 in. dia. bears N 22 E 6 lbs. dist. 4  
a No. 8 " " " S 72 W 21 " "  
Land the Same

East On Random between Sect. 20 & 29.

1.50 a Brook 25 lbs. wide Course S. W.

40.00 Set of Sec. post, temporarily.

81.00 Intersected the N. & S. line 10 lbs. S. of post  
Land the Same

West Corrected between Sect. 20 & 29.

40.50 Set of Sec. post, at average dist. from which  
a Beech 30 in. dia. bears S 14 E 12 lbs. dist. 4  
a No. 10 " " " S 83 W 17 " "

81.00 to Section Corner

West Between Sect. 19 & 30.

40.00 Set of Sec. post, from which  
a Beech 2 1/4 in. dia. bears S 87 W 24 lbs. dist. 4  
a No. 20 " " " N 65 E 24 " "

84.30 Intersected the W. boundary 2.71 lbs. S. of post  
Set post Cor. to Sect. 19 & 30, from which  
a Beech 20 in. dia. bears N 32 W 8 lbs. dist. 4  
a No. 30 " " " S 32 E 33 " "  
Land the Same

North Between Sect. 19 & 20.

40.00 Set of Sec. post, from which  
a Beech 10 in. dia. bears S 8 E 23 lbs. dist. 4

# 29

## S 6 N R 7 E 2<sup>nd</sup> Mer. Indiana

Ch. lks  
 43. 30 a Beech 10 in. dia. bears S 66 W 12 lks. dist. &  
 80. 00 a W. Ash 18 " " "  
 80. 00 Set post Cor. to Sec. 17, 18, 19 & 20, from which  
 a Beech 8 in. dia. bears S 8 E 6 lks. dist. &  
 a No. 20 " " " N 84 W 16 " "  
 This mile Over level beech timbered land.

East On Prandome between Sec. 17 & 20.  
 40. 00 Set temp. q. Sec. post  
 80. 54 Intersected the N. & S. line 69 lks. N. of post  
 Land the same

West Corrected between Sec. 17 & 20.  
 40. 27 Set q. Sec. post. from which  
 a Beech 15 in. dia. bears S 8 E 19 lks. dist. &  
 a No. 20 " " " N 77 W 29 " "  
 80. 54 to Section Corner

West Between Sec. 18 & 19.  
 29. 30 a Beech 24 in. dia.  
 40. 00 Set q. Sec. post, from which  
 a Beech 20 in. dia. bears S 85 E 50 lks. dist. &  
 a No. 24 " " " N 15 E 20 " "  
 59. 10 a Cherry tree 15 " "  
 84. 24 Intersected the W. boundary 4.17 lks. S. of post  
 Set post Cor. to Sec. 18 & 19, from which  
 a Beech 24 in. dia. bears S 49 E 4 lks. dist. &  
 a No. 30 " " " N 73 E 26 " "  
 Land the same

North Between Sec. 17 & 18.  
 28. 00 a Brook 10 lks. wide Course S. W.  
 32. 30 a Beech 15 in. dia.  
 40. 00 Set q. Sec. post, from which  
 a Beech 10 in. dia. bears S 48 E 10 lks. dist. &  
 a Sugar 15 " " " N 48 W 1 " "

# Sec. 17 & 2<sup>nd</sup> Mer. Indiana

ch<sup>d</sup>. l<sup>y</sup>

48.20 a Poplar 10 in. dia.  
80.00 Set post Cor. to Sect. 7, 8, 17 & 18, from which  
a Beech 6 in. dia. bears S 58 W 17 lks. dist. &  
a Sugar 12 " " " N 33 E 18 " "  
Land the Same

East On Random between Sect. 8 & 17

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sect. post  
80.60 Intersected the N. & S. line 1.00 lks. N. of post.  
Land the Same

West Corrected between Sect. 8 & 17

40.30 Set q<sup>r</sup>. Sec. post. at average dist. from which  
a Beech 12 in. dia. bears S 68 W 9 lks. dist. &  
a No. 8 " " " N 3 E 16 " "  
80.60 to Section Corner

West Between Sect. 7 & 18

6.00 a Brook 15 lks. wide course S. W.

40.00 Set q<sup>r</sup>. Sec. post. from which  
a Beech 10 in. dia. bears S 88 E 49 lks. dist. &  
a No. 24 " " " N 5 W 13 " "

78.00 a Brook 25 lks. wide course S. W.

85.00 Intersected the W. boundary 4.25 lks. S. of post.  
Set post. Cor. to Sect. 7 & 18, from which  
a Sycamore 26 in. dia. bears S 68 W 17 lks. dist. &  
a Ironwood 6 " " " N 19 W 11 " "  
Land the Same

North Between Sect. 7 & 8.

4.30 a Brook 15 lks. wide course S. W.

40.00 Set q<sup>r</sup>. Sec. post. from which  
a Beech 20 in. dia. bears S 38 W 28 lks. dist. &  
a No. 8 " " " N 72 E 20 " "

50.20 a Brook 10 lks. wide course West.

77.25 a No. 25 " " " West.

# 31

## S. N. R. & E. 2<sup>nd</sup> Mer. Indiana

ch. lks

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which  
a Beech 15 in. dia. bears S 1 E 13 lks. dist. &  
a No. 20 " " " N 38 E 22 " "  
Land the Same -

East On Random between Sec. 5 & 8

12.50 a Brook 15 lks. wide Course S. W.

40.00 Set temp. q. Sec. post.

80.55 Intersected the N. & S. line 1.02 lks. N. of post.  
Land the Same

West Corrected between Sec. 5 & 8.

40.27 1/2 Set q. Sec. post. at average dist. from which  
a Beech 8 in. dia. bears N 84 W 4 lks. dist. &  
a Maple 15 " " " South 3 " "

80.55 to Section Corner

West Between Sec. 6 & 7.

34.00 a Beech 12 in. dia.

38.50 a Brook 20 lks. wide Course S. W.

40.00 Set q. Sec. post. from which

a Beech 12 in. dia. bears S 88 E 33 lks. dist. &

a No. 24 " " " S 9 E 16 " "

52.50 a Brook 20 lks. wide Course S. W.

60.05 a Spring run 5 " " " S. W.

84.73 Intersected the W. boundary 5.53 lks. S. of post.

Set post. Cor. to Sec. 6 & 7, from which

a Poplar 40 in. dia. bears S 13 W 17 lks. dist. &

a Beech 30 " " " West 12 " "

Description of Land and timber Omitted

North Between Sec. 5 & 6.

15.40 a Beech 20 in. dia.

40.00 Set q. Sec. post. from which

a Beech 10 in. dia. bears N 40 W 8 lks. dist. &

a Poplar 40 " " " S 5 W 38 " "



S. 6. N. 7 E. 2<sup>d</sup>. Mer. Indiana

ch. lks.

51.00 a Brook 10 lks. wide course S. W.

64.00 a No. 40 " " S. W.

87.42 Intersected the N. boundary 2.85 lks. E. of post.

Set post cor. to Secs. 5 & 6 from which  
 a Beech 10 in. diam. bears N 30 W 21 lks. dist. &  
 a No. 6 " " " N 57 E 8 " "

Description of land timber &amp;c. Omitted.

October 6<sup>th</sup>, 1806

Surveyed by.

Arthur Henric

Deputy Surveyor

Comp.

I Certify that the foregoing transcript of field notes  
 of township N. 6 North, Range N. 7 E. 2<sup>d</sup> Meridian  
 Indiana, has been compared with the original notes  
 in this office and found to be correct.

Surveyor General's Office  
 Cincinnati, Sept. 19. 1842

William Johnston  
 Sur. Genl.